

Fall Hospitalizations

Fall Hospitalizations

- Most recent data (2014): 288.9 hospitalizations per 100,000, including 5,834 admissions.
- Trend over time: 2000-14: falling
- Description: Includes non-fatal hospitalizations for any unintentional injury that involves a fall
- Healthy People 2020 Goal: None listed for this indicator.

Fall hospitalizations, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	287.8	284.4	291.3	5631
AGE				
<18	46.0	43.2	49.0	194
18-24	53.6	48.9	58.7	94
25-44	70.1	67.2	73.1	434
45-64	216.9	211.3	222.5	1155
65+	1643.9	1620.5	1667.6	3754
GENDER				
Male	265.0	260	270.1	2287
Female	299.5	294.8	304.2	3344
RACE/ETHNICITY				
AIAN	N/A	N/A	N/A	N/A
Asian	N/A	N/A	N/A	N/A
Black	N/A	N/A	N/A	N/A
Hispanic	N/A	N/A	N/A	N/A
Multiple	N/A	N/A	N/A	N/A
NHPI	N/A	N/A	N/A	N/A
White	N/A	N/A	N/A	N/A
NEIGHBORHOOD POVERTY				
High	347.8	332.5	363.7	402
Medium	283.2	279.4	287.0	4487
Low	273.5	264.1	283.1	675
REGION				
East	266.4	259.9	273.0	1331
North	296.2	285.4	307.4	614
Seattle	290.9	284.5	297.4	1695
South	300.8	294.8	306.9	1992
STATE				
Washington State	293.6	291.8	295.4	21119

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WAState DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


N/A: Not available.

CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Fall hospitalizations King County, 2010-2014 average



Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

[-----] Confidence interval shows range that includes true value 95% of the time.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by race/ethnicity not available.

Poverty = Neighborhood poverty levels defined by median household income.

**Fall hospitalizations by zip codes
King County, 2010-2014 average**




Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Fall hospitalizations

King County, 2000-2014, three-year rolling averages



^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-14: falling); East KC (2000-14: flat); North KC (2000-07: flat; 2007-14: falling);
Seattle (2000-14: falling); South KC (2000-02: flat; 2002-09: rising; 2009-14: flat);
Washington State (2000-03: flat; 2003-09: rising; 2009-14: falling)
Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
08/16